

# INTERIOR DOORS 2016



Stained Cherry One Lite Door with Schlage Latitude Lever in Satin Chrome




# **INTERIOR DOOR COLLECTIONS**

Madero's interior door collections feature the latest designs and timeless classics, providing a range of style, material, and budget options to suit your specific needs. From renovations to new home construction, these doors will provide exceptional value and style for your home.

Interior doors are readily available in 6'8", 7'0", 8'0", or custom door slab heights, and standard widths. Hardware, frame and mounting options are available to ensure that your interior doors will complement the decor in every room.

### Contents

Moulded Panel	2-13
Heritage® Series	4-5
West End Collection®	6-7
Classics <sup>™</sup>	8-9
Select <sup>**</sup> Collection	10-11
Palazzo Series®	12-13
Stile & Rail	14-25
Primed Engineered Wood	16-17
Wood Panel	18-23
Louver	24-25
French Doors	26-37
Glass Options	27-29
One Lite	30-31
Panel Lite	32-33
Wood Mullion	34-35
Specialty Doors	36-37
Flush Panel	38-41
Luxury Residential	42-47
Sliding Panel Doors	48-49
Barn Track Hardware	50-51
Hinge Options	52
Wood Frame Options	53
Fire Rated Frame Options	54-55
Schlage Residential Hardware	56
Brinks Push-Pull-Rotate Door Locks	57



# **MOULDED PANEL**

Madero is proud to partner with Masonite® to provide moulded panel doors that have been transforming interiors for over 80 years. Together we are relentlessly committed to delivering product, service and design innovations which will enhance the beauty and functionality of your home.

#### **Quality Is Our Standard**

Moulded panel doors from Masonite are more durable and resist warping, shrinking and cracking. These beautifully engineered doors are available in a smooth or textured woodgrain finish, with matching bifolds to suit any decor. They come in a wide range of widths and heights and are primed for easy finishing.

By-product wood chips and timber from sustainably managed forests are used at Masonite facilities, with a commitment to environmental excellence in every step of the door manufacturing process.

Masonite the beautiful door





#### **Hollow Core**

- Perfect solution for budget-minded customers.
- 1-3/8" or 1-3/4" thickness available; primed white and ready to paint.
- Contains pre-consumer recycled content, resource efficient materials and a honeycomb core.

#### Safe 'N Sound<sup>®</sup> Solid Core

- For reduced sound transmission; ideal for bathrooms and bedrooms where privacy and safety are a concern.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- 20 minute fire rating available in 1-3/4" thickness only.
- · Offers heft and feel of solid wood; primed white and ready to paint.
- Manufactured with DorCor<sup>®</sup>, a low density fiberboard made from wheat straw (annually renewable, agricultural, wheat by-product).

### Safe 'N Sound $^{\circ}$ Emerald $^{m}$ Solid Core

- Ideal product for allergen-sensitive customers requiring optimal air quality.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- · 20 minute fire rating available in 1-3/4" thickness only.
- · Offers heft and feel of solid wood; primed white and ready to paint.
- Forest Stewardship Council (FSC) certified wood, containing environmentally preferred products: low emissions adhesives and sealants, extremely low VOC emissions, and no added urea-formaldehyde (NAUF).



### hollow core



## safensond





Lincoln Park I-Panel Smooth Shaker Door with Schlage Avila Lever in Satin Nickel





Lincoln Park I-Panel Equal

# Masonite HERITAGE<sup>®</sup> SERIES

Masonite's Heritage<sup>®</sup> Series features stile and rail inspired designs with clean, simple lines that will provide a distinctive look for any interior decor. Heritage doors utilize a composite material which make for a highly durable product at great value and provide a timeless look for years to come. For increased privacy and sound reduction, choose the solid core option.

### **Moulded Shaker Panel Slab**

Door	Paintable moulded wood; smooth primed surface
Core	Hollow core 1-3/8" or solid core (refer to page 3); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	<b>80"</b> (6/8), <b>84"</b> (7/0), <b>96"</b> (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)
Fire Rated	20 minute (1-3/4" only)
Optional	Safe 'N Sound" Emerald" solid core (1-3/8" only)
Warranty	1 year limited

### **Heritage Series Designs**



Lincoln Park LIN 1-Panel Equal



WIN 3-Panel: 1 Square Panel with 2 Vertical Panels (Not available in 96" height)



Logan LOGAN 2-Panel



Hamel 6-Panel Smooth Door on Acme Barn Track with Bent Strap Hangers in Matte Black, and Rockwood NoirTek" 36" Straight Pull





Hamel 6-Panel Equal



Masonite's West End<sup>™</sup> Collection features metropolitan inspired designs with bold, graphic lines for eye-catching profiles. These clean, simple styles will complement any contemporary interior decor. For increased privacy and sound reduction, choose the solid core option. West End doors are very affordable, giving you the most value for a modern look.

#### **Moulded Grooved Panel Slab**

Door	Paintable moulded wood; smooth primed surface
Core	Hollow core or solid core (refer to page 3); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)
Fire Rated	20 minute (1-3/4" only)
Optional	Safe 'N Sound® Emerald <sup>™</sup> solid core
Warranty	l year limited

#### West End Collection Designs



Berkley BER 6-Panel Equal with 1 Vertical Panel



HAM 6-Panel Equal with 2 Vertical Panels (Not available in 18" width or 96" height)



MEL 6-Panel Equal (Not recommended for double doors)



Carrara 2-Panel Smooth Door with Schlage Birmingham Lever in Satin Chrome







MOULDED PANEL SERIES

The Masonite Classics<sup>™</sup> Moulded Panel Series is the industry benchmark for all moulded wood doors and features five popular door designs. This series utilizes a composite wood construction for a more durable product that resists warping, shrinking, and cracking better than a solid wood door.

### **Moulded Raised Panel Slab**

Door	Paintable moulded wood; textured woodgrain or smooth primed surface
Core	Hollow core or solid core (refer to page 3); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	<b>80</b> " (6/8), <b>84</b> " (7/0), <b>96</b> " (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)
Fire Rated	20, 45, 60 minute on select designs and sizes
Optional	Safe 'N Sound® Emerald™ solid core
Warranty	1 year limited

## **Classics Designs**



Carrara CARR • 2PSM Smooth only: 6/8, 7/0, 8/0



Clermont CLER • 3PTX Textured: 80" height only



Colonist COL • 6PTX/SM Smooth or Textured: 6/8, 7/0, 8/0



Classique CLASS • 2ARTX Textured: 80" height only Smooth: 6/8, 7/0, 8/0



Roman ROM • 2ROMNSM Smooth only: 6/8, 7/0, 8/0 (96" height not available in bifold)









Riverside 6-Panel Equal (8/0)

# SELECT<sup>Masonite</sup> MOULDED PANEL SERIES

The SELECT<sup>m</sup> Collection is a special edition of the Moulded Panel Series, honouring more than 80 years of Masonite's heritage of innovation. These classic designs with a smooth, primed surface offer the ultimate in wood door authenticity with all the benefits of a composite wood product.

### **Moulded Classic Panel Slab**

Door	Paintable moulded wood; smooth primed surface
Core	Hollow core or solid core (refer to page 3); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	<b>24"</b> (2/0), <b>30"</b> (2/6), <b>36"</b> (3/0)
Fire Rated	20 minute (1-3/4" only)
Optional	Safe 'N Sound® Emerald™ solid core
Warranty	l year limited

### Select Designs



Cheyenne CHEY 2-Panel Camber Top Plank; 80" or 96" height only



Riverside RIV 5-Panel Equal (80", 84"); 6-Panel Equal (96")



Saddlebrook SAD 1-Panel V-Groove Plank; 80" or 96" height only



Capri 2-Panel Smooth 8/0 Door with Schlage Birmingham Lever in Aged Bronze, and Matching Hinges





Bellagio 2-Panel Arched




Masonite's Palazzo Series<sup>®</sup> premium interior doors will transform your home with European elegance. Distinctive raised moulding, combined with unique high definition panel profiles, feature an exceptionally smooth surface that is ideal for painting and decorating. Strategic core reinforcements provide the heft and feel of solid wood panel doors.

#### **Moulded Premium Raised Panel Slab**

Door	Paintable moulded wood; smooth primed surface
Core	Semi-solid* core 1-3/8" or 1-3/4", or solid core 1-3/4" only (refer to page 3)
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 36" (3/0)
Bifold	<b>24</b> " (2/0), <b>30</b> " (2/6), <b>36</b> " (3/0)
Fire Rated	20 minute (1-3/4" only)
Warranty	3 year limited

### **Palazzo Series Designs**



Palazzo Profile

\*Palazzo doors provide increased sound and structural qualities due to the combination of door skin thickness and strategic reinforcements.



Bellagio BELLAGIO 2-Panel Arched




**Capri** CAPRI 2-Panel Square



Treviso TREV 3-Panel Camber Top (Not available in 18" width)





# **STILE & RAIL**

Madero offers a complete line of interior stile and rail wood doors to meet any architectural or design requirement. The wood panel designs include traditional and contemporary styles, from a variety of sustainably harvested wood species. Add warmth and richness to any room with the look and feel of natural solid hardwood veneer – constructed to withstand the daily rigors of family life.






**Woodport Doors** is a seasoned, quality supplier of authentic wood doors, located near the rustic forest region of Wisconsin's North Woods. This area has a long history of the woodworking trade, and they are proud to continue the craft. Skilled men and women build stile and rail wood doors as beautiful as they are strong. Make your dream door a reality from a wide product selection – we're confident you'll find the perfect style for your home.


#### **Standard Panel/Sticking Profiles**





Single Hip Raised Panel (A) Ovolo sticking





Flat Mission Panel (K) Shaker sticking



Primed Engineered Wood 3-Panel Mission Shaker Door with Schlage Siena Knob in Matte Black





Primed Engineered Wood **3-Panel Mission** 

303A / 303K

093A

118A

097A

# **PRIMED ENGINEERED WOOD**

Primed engineered wood doors combine the best of authentic stile and rail craftsmanship with engineered wood technology for more stability than solid wood. Ideal for painted applications, these 18 popular panel designs will give your home a true mark of distinction.

### **Engineered Wood Slab**

Door	Primed engineered wood with smooth paintable surface
Profile	Profile (A) or Shaker (K) sticking; custom (upcharge)
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	<b>24"</b> (2/0), <b>30"</b> (2/6), <b>36"</b> (3/0)
Warranty	l year limited

### **Primed Engineered Wood Designs**



Camber Top 266A / 266K

Camber Top 326A / 326K

17

265A / 265K

287A / 287K

104A



Stained 3-Panel Mission Shaker Doors with Schlage Siena Knob/Andover Rose in Aged Bronze



# **WOOD PANEL**

Handcrafted wood doors transcend the ordinary, commanding attention with timeless beauty at an affordable price. Natural hardwood with wood composite core construction provides excellent thermal efficiency in all seasons. Distinctive raised panels (profile A) or modern shaker panels (profile K) bring refinement to any decor.

### Wood Veneer Slab

Door	Natural wood veneer overlay on wood composite core construction
Profile	Profile (A) or Shaker (K) sticking; custom (upcharge)
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0) (Subject to availability)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	<b>24</b> " (2/0), <b>30</b> " (2/6), <b>36</b> " (3/0)
Optional	Solid wood (finger-joint) core
Warranty	1 year limited



### **Standard Wood Species**



African Mahogany MAH



Hemlock HEM



White Poplar POP



BIRCH

Hickory

Red Oak

ROAK

HIC



**Knotty Alder** KALDER



Select Alder ALDER

19



Douglas Fir FIR



**Knotty Pine** KPINE



Walnut WAL





**Clear Pine** CPINE




White Oak WOAK





Stained Walnut 2-Panel Raised Camber Top Door, with Schlage Merano Lever in Satin Nickel





### Wood Panel Designs



3 Panel Equal 281A / 281K Shown in Knotty Alder



1 Panel Square 271A / 271K Shown in White Poplar



4 Panel Square 095A / 095K Shown in Knotty Pine



4 Panel Equal 272A / 272K Shown in Hickory



2 Panel Square 092A / 092K Shown in Maple



5 Panel Square 103A / 103K Shown in African Mahogany



5 Panel Equal 282A / 282K Shown in Maple



3 Panel Square 116A / 116K Shown in Red Oak



6 Panel Square 105A / 105K Shown in Pine



Stained Select Alder 4-Panel Equal Shaker Door with Valli&Valli H1027 Daphne Lever in Satin Chrome





### Wood Panel Designs



3 Panel Mission 303A / 303K Shown in Cherry



4 Panel Arch Top 097A Shown in Clear Pine



3 Panel Camber Top 287A / 287K Shown in Mahogany



2 Panel Arch Top 093A Shown in Red Oak



5 Panel Arch Top 104A Shown in Hickory



4 Panel Camber Top 266A / 266K Shown in Fir



3 Panel Arch Top 118A Shown in White Poplar



2 Panel Camber Top 265A / 265K Shown in Walnut



5 Panel Camber Top 326A / 326K Shown in Hemlock





Plantation 2-1/4" Slats, Louver Over Louver Design with Schlage Champagne Lever in Satin Chrome






Louver doors are perfect for pantries, closets and laundry rooms, to conceal the area while allowing for airflow and freshness in challenging environments. They are also useful for fitting rooms and maintenance rooms. These classic, sturdy doors provide both privacy and ventilation.

### Wood Veneer or Primed Engineered Wood Slab

Door	Primed engineered wood or hardwood veneer (wood species on page 19)
Profile	Louver Craftsman Panel; custom (upcharge)
Slats	1-1/4" (standard louver) or 2-1/4" (plantation louver)
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)
Warranty	1 year limited



### Louver Door Designs

#### **Louver Over Panel**



Plantation 2-1/4" Wood Species LOUV/PNL (Also available in primed)



Standard I-1/4" Primed LOUV/PNL (Also available in wood species)

#### Louver Over Louver



Plantation 2-1/4" Wood Species LOUV/LOUV (Also available in primed)



Standard 1-1/4" Primed LOUV/LOUV (Also available in wood species)



# **FRENCH DOORS**

French doors are a smart choice for adding privacy to a study or home office, without robbing it of valuable lighting. In addition to keeping light flowing into the room, they provide a secure view into your home. The need to hold private conversations or finish work at home may isolate you from your family. By using French doors, you won't be secluded behind a solid wood door, and they serve as a buffer to various household noises. Choose from traditional designs with nostalgic charm, or modern panel lite styles for a fresh new look. Glass options are available to suit every taste.





### **Modern Glass Designs**



White obscured coating fused to tempered glass one side (1/8" single pane)



White etch one side, smooth tempered glass one side (1/8" single pane)



White Laminated \$\$ White obscured coating between two panes of glass (1/4" dual pane)




Primed Engineered Wood 3-Panel Lite Shaker Door with Swirl Glass and Schlage Latitude Lever in Satin Chrome






## **Traditional and Unique Glass Designs**






























Stained Oak One Lite Doors with Clear Glass and Schlage Accent Levers in Satin Chrome





Stained Cherry I-Lite with Frosted Glass

### **One Lite Designs**

# **ONE LITE**

Handcrafted wood or primed engineered wood stile and rail designs can be mixed and matched with contemporary glass textures, creating endless combinations to complement your interior style. Consider using the space efficiency of pocket doors for smaller rooms, and bypass or double doors for closet access.

### Wood Veneer or Primed Engineered Wood Rim

Door	Primed engineered wood or hardwood veneer (wood species on page 19)
Profile	Profile (A) or Shaker (K) sticking; custom (upcharge)
Glass	Refer to pages 27-29
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0)
Passage	<b>18</b> " (1/6), <b>24</b> " (2/0), <b>28</b> " (2/4), <b>30</b> " (2/6), <b>32</b> " (2/8), <b>34</b> " (2/10), <b>36</b> " (3/0)
Warranty	l year limited



Primed Engineered Wood 1-Lite with Frosted Glass



Stained Knotty Alder I-Lite with Frosted Glass



Unfinished Maple I-Lite with Frosted Glass



Stained Oak I-Lite with Frosted Glass



Stained Hickory 5 Panel Lite Shaker Doors with Clear Glass and Inox Aurora Mortise Lockset in Satin Stainless Steel







Clear Pine 3-Panel Lite with Frit Glass Inserts


### **Panel Lite Designs**

# **PANEL LITE**

Finding the right style to reflect your tastes is very important. These modern designs are a refreshing update to traditional French doors, highlighting the beauty of your contemporary decor. Their simple elegance allows natural light to cascade from room to room, filling your home with a magic all of its own.

### Wood Veneer or Primed Engineered Wood Rim

Door	Primed engineered wood or hardwood veneer (wood species on page 19)
Profile	Profile (A) or Shaker (K) sticking; custom (upcharge)
Glass	Refer to pages 27-29
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0)
Passage	<b>18</b> " (1/6), <b>24</b> " (2/0), <b>28</b> " (2/4), <b>30</b> " (2/6), <b>32</b> " (2/8), <b>34</b> " (2/10), <b>36</b> " (3/0)
Warranty	1 year limited





Painted 15-Lite Raised Profile French Doors with Clear Glass and Schlage Accent Levers in Bright Chrome







Maple 15-Pane Wood Mullion French Door with Clear Glass

# **WOOD MULLION**

Handcrafted wood mullion (wood bar) traditional style French doors are a beautiful addition to any home, and serve as a true reflection of personal taste. Choose from a wide variety of glass options and wood species. Doors are shipped unfinished, giving you the freedom to choose the perfect stain or paint colour to complement your home decor.

## Wood Veneer or Primed Engineered Wood Rim

Door	Primed engineered wood or hardwood veneer (wood species on page 19)
Profile	Profile (A) or Shaker (K) sticking: custom (upcharge)
Glass	Refer to page 29 for glass options
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), and 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Warranty	1 year limited

## **Wood Mullion Designs**



5-LITE 020W

10 Lite Wood Bar 10-LITE 030W



12 Lite Wood Bar Raised Bottom Panel 12-LITE 065W



15 Lite Wood Bar 15-LITE 035W





Painted Engineered Wood 2-Panel Chalkboard Shaker Door on Acme Barn Track with Bent Strap Hangers in Matte Black, and Rockwood Noirtek 16" Straight Pull





1-Lite Decorative (etched glass)

# **Specialty Door Designs**

# **SPECIALTY DOORS**

Bring fun, creativity and focus into your home or business with several unique panel options. Choose a wood species that will fit seamlessly with existing decor. Add organization with a magnetic chalkboard, and personal style with a decorative glass panel.

# Wood Veneer or Primed Engineered Wood Rim

Door	Primed engineered wood rim or hardwood veneer (wood species on page 19)
Profile	Profile (A) or Shaker (K) sticking; custom (upcharge)
Panel	Chalkboard, magnetic chalkboard, white board, decorative etched glass (see designs below)
Thickness	1-3/8" or 1-3/4"
Height	80" (6/8), custom
Passage	<b>18</b> " (1/6), <b>24</b> " (2/0), <b>28</b> " (2/4), <b>30</b> " (2/6), <b>32</b> " (2/8), <b>34</b> " (2/10), <b>36</b> " (3/0)
Warranty	1 year limited



Chalk 1-Panel Chalkboard *(both sides)* 



Chalk 2-Panel Chalkboard (both sides)



White Board 1-Lite White Board (both sides)



Pantry 1-Lite Decorative (etched glass)



Wine 1-Lite Decorative (etched glass)



NUNDR







37

Decorative Etched Glass Designs:





Stained Oak Flush Panel with Fusital Duemilasette H359 Brass Lever in Satin Chrome





Natural Birch Flush Panel Door



# **FLUSH PANEL**


Flush panel doors provide a modern architectural look with natural beauty for smaller budget renovations. Choose from hardboard, natural wood veneer or prefinished panels.

#### Slab

Door	Hardboard or wood veneer with high-quality wood conditioner; or factory prefinished with high-quality topcoat
Core	Hollow core or solid core (refer to page 5); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"
Height	<b>80"</b> (6/8), <b>84"</b> (7/0), <b>96"</b> (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0), 42" (3/6), 48" (4/0)
Bifold	<b>18</b> " (1/6), <b>24</b> " (2/0), <b>30</b> " (2/6), <b>36</b> " (3/0)
Fire Rating	20, 45, 60, and 90 minute (1-3/4" thickness only)
Optional	Matching wood species, all sides; prefinishing
Warranty	Residential grade - 1 year limited; Commercial grade - 3 year limited

# Unfinished Wood Flush Panels ENLARGED TO SHOW DETAIL

(requires primer, paint or stain)





Spiced Ash Prefinished Flush Panel Door with Schlage Callington Lever in Matte Black



# Unfinished Wood Flush Panels ENLARGED TO SHOW DETAIL

(Requires Primer, Paint or Stain)



Natural Maple



Flat Sliced Red Oak



Rift Cut White Oak

Factory Prefinished Flush Panels ENLARGED TO SHOW DETAIL



Select White Maple



Rift Cut Red Oak



Rotary Mahogany



VG Fir



Flat Sliced White Oak

(No Finishing Required)



Driftwood Oak



Albany Maple



Marquis Oak



Newport Cherry



Strand Oak




Spiced Ash



# **LUXURY RESIDENTIAL**

With architects, designers, and builders in mind, Madero's design team is current on the latest trends and materials. They are committed to supplying industry standard doors, hardware, mouldings, and accessories that not only look beautiful, but can endure the rigors of time.

Whether the focus is modern, contemporary, colonial or eclectic, Madero has a deep respect for the subtleties of good, timeless design. Wood veneers matched to the most precise millwork, hardware forged from solid brass, and hinges that glide effortlessly, are just a few of the luxuries available from some of the world's most reputable manufacturers.



# **Custom Designed, Built to Last**

Madero's luxury residential doors stand up to heavy traffic. Greatly exceeding established standards, they're the toughest in the industry. A perfect blend of beauty and durability.



Masonite the beautiful door



20 Minute Fire Rated Horizontal Grain Mahogany Suite Entry Door with Stainless Steel Inlays and Valli&Valli H1049 Divara Brass Lever in Satin Chrome





# **MODERN ARCHITECTURAL DESIGNS**

Natural, warm woods are all the talk these days and walnut may be the perfect candidate. Bridging the gap between old and new, the honey and caramel shades of walnut create visual texture, adding warmth and elegance to any living space. Pair with bronze finished hardware for a step back in time, or with polished or brushed stainless steel for a cutting edge, modern look. Available in 1-3/8" or 1-3/4" thickness.

#### Flush

A timeless, uninterrupted look places focus on the natural beauty of the wood, while showcasing the hardware and surrounding decor.

## **Face Groove**

CNC machined custom face grooves can be created in any shape or pattern. Grooves can be left raw or painted in any colour to match a home's interior style.

## **Stainless Steel**

Solid stainless steel inlays provide a modern, architectural look while matching the hardware throughout the home.

## **Options**

- · Pre-machining to match any hardware and hinge configuration
- 20, 45, 60, and 90 minute fire rating available
- Plastic wrapping for protection during construction
- Matching flat jambs, rabbeted jambs or casing-integrated jambs for a consistent and polished finish

As shown: quarter sliced, book matched, horizontal grain walnut with hand rubbed custom stain.

#### White Oak Rift Cut

Looking for a lighter alternative? Horizontal grain rift-cut white oak is a great option while still achieving a modern but timeless feel.



20 Minute Fire Rated Cherry Custom Veneer Suite Entry Door with Fusital H359 Duemilasette Lever in Brushed Nickel





## **Wood Species**

Rotary cut, rift cut, quarter or plain slice. Book matched, slip matched, random matched, and more. Nearly any wood species is available in any cut, match, and stain color. From reclaimed African hardwoods to tobacco stained white birch from the sustainably harvested forests of Canada. The following is a list of the standard veneers found within the realms of Canadian design.



# **Factory Applied Finishes**

Custom color matching is available for any project – large or small. Below are the standard finish choices and the variance you will find due to natural differences in the wood veneers. Custom finishes require a submitted sample.





# **SLIDING PANEL DOORS**

Ideal for Multi-Family/Condo

Project Pricing Available

Madero offers a complete line of sliding or bifold paneled doors with mirrored and decorative options. Add brightness and depth to any room with mirror panels, or choose glass or laminate panel combinations to add light and contrast to your decor. These sliding doors are fast and easy to install, fully adjustable for outof-square retrofit openings, and built for a lifetime of dependable performance.








# Stocking Program





M10 Steel Framed Sliding Mirror Doors and matching fascia



Natural Maple Flush Door on Acme Barn Track with Straight Strap Hangers in Bronze, and Rockwood SoftMet 16" Offset Pull

# INTERIOR DOOR COLLECTIONS

# **BARN TRACK HARDWARE**



# Solid Flat Bar Hardware Kits

Hangers	Straight Strap, Top of Door Strap, or Bent Strap
Application	1-3/8" wood door; maximum weight 150 lbs per door
Track	78-3/4" trimmable flat track; 1-9/16" height
Opening	Up to 36" wide; multiple tracks required for wider openings
Finishes	Stainless Steel, Matte Black, Bronze
Contents	Flat track, 5 wall spacers, 2 hangers, 2 anti-jump discs, high density plastic wheels, floor guides, anchors, bolts/screws
Options	Joiner kit includes hex key and 4 heavy-duty matching screws, for double door barn track application requiring 2 track lengths <i>Optional 96" trimmable track available (special order)</i>



Straight Strap BD100K-07800

Top of Door Strap BD101K-07800



Bent Strap BD102K-07800



Joiner Kit BD125-MB (Matte Black) BD125-SS (Stainless Steel)



W60 Top Mount 4-3/8" height; up to 176 lbs.



W100 Strap Mount 3-13/16" height; up to 198 lbs.

# 

#### Hollow Round Bar Hardware Kits \$\$

\$\$\$

Hangers	Equipped with anti-rise pin; 3-13/16" to 5-3/16" heights
Application	1-3/4" wood or 3/8"-1/2" glass door; maximum weight 240 lbs per door
Track	304 Stainless Steel track with end caps; hangers with nylon coated rollers; specify length (78" or 98")
Opening	Up to 36" wide; multiple tracks required for wider openings
Finishes	Brushed or Polished Stainless Steel, or Dark Bronze
Contents	Solid stainless steel track with end caps, 2 hangers, wall brackets, 1 bottom door guide, 2 track stops, mounting and installation hardware

\$



# Solid Round Bar Hardware Kits

Hangers	Top Mount, Strap Mount, or Face Mount
Application	Wood or tempered glass door; up to 350 lbs per door
Capacity	2 hangers - 350 lbs; 3 hangers - 450 lbs; 4 hangers - 600 lbs
Track	Solid I" diameter round bar; specify length with order
Finishes	Polished #304 Satin Stainless Steel, or Matte Black
Contents	Bar track, wall mount brackets, 2 hangers per door, 2 shock-absorbing compression stops, aluminum guides
Optional	Alternate heavy duty and wall mount guides



Top Mount: 1-3/8" Doors CRT-101 Hanger



Strap Mount: 1-3/4" Doors CRT-102 Hanger





# **HINGE OPTIONS**

## **Madero Door Hinges**

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.



#### Finishes:

C-26 Zinc Plated C-4 Brushed Brass C-10B Oil Rubbed Bronze C-15 Satin Nickel C-15A/C-17A Antique Nickel C-26D Brushed Chrome C-32D Stainless Steel C-10 Matte Black

# Architecturally Designed Hinges



Ball Bearing \$ Sample shown: C-26D 4-1/2"x4" Brushed Chrome

## IVES.



Architectural \$\$

Sample shown: **3CBI** 3 Knuckle, Concealed Bearing Full Mortise Hinge

#### McKinney ASSA ABLOY




Decorative/Custom \$\$\$ Sample shown: Square Barrel 2 Knuckle, Concealed Bearing Hinge

#### SIMONSWERK



Premium \$\$\$ Sample shown: TECTUS 3D German-Made Adjustable Concealed Hinge System



# **WOOD FRAME OPTIONS**



Choose from primed MDF or matching wood veneer, ready to paint or stain. Madero's jamb packs ship complete with flat jamb or rabbeted jamb, door stop (flat jamb only), machined jamb, and three 3-1/2" ball bearing hinges on handed jamb packs. Reversible jamb packs include plain bearing reversible hinges.

- Bullnose or Colonial stop available
- · Jamb packs are available left or right handed, or reversible




#### **Custom Frames**

Choose from primed or matching wood veneer, ready to paint or stain. Available for 1-3/8" or 1-3/4" doors; jamb depths to accommodate wall thickness.







# **FIRE RATED FRAME OPTIONS**

Madero offers the best in door components for the ultimate finished look. Choose a matching frame to complement your new door, made of primed finger joint pine, smooth white or textured woodgrain composite, or galvanized steel.

When safety standards are a priority, choose fire rated doors and frames. Madero's interior door product line features the standard 20 minute Warnock Hersey fire rating, with optional 45, 60, and 90 minute ratings available. These materials can withstand extreme temperatures and keep what's inside safe.




# t

## 20 Minute Fire Rated Finger joint Pine Frame (primed)

Primed, kiln-dried fingerjointed pine frames provide beauty and strength with a Warnock Hersey certified 20 minute fire rating. They are suitable for interior or exterior use when painted or stained.

- Available up to 8-7/8" jamb depth
- Available with or without kerf application







## 20 Minute Fire Rated Composite Frame

Madero's unique composite jamb product offers built-in advantages that are unmatched in the door industry. Our maintenance-free product means less work for you and longer life for the entry unit. Composite frames are very strong, with superior screw holding power and a tough exterior finish. Available in both smooth white and textured woodgrain finishes, these frames are designed to coordinate with any color and style of door.

- Available in 4-9/16", 6-9/16" or 8-9/16" jamb depths only
- Prefinished Smooth White can be painted
- Textured Woodgrain requires stain or paint



## 90 Minute Fire Rated Steel Frame

Steel frames provide additional security as they are strong and durable, with a Warnock Hersey certified 90 minute fire rating. They are suitable for a variety of applications including welded, expandable and drywall anchored frames. Galvanized steel frames will accept paint, and require minimal maintenance.




# **RESIDENTIAL HARDWARE**

## **Schlage F-Series Levers and Knobs**

Higher Residential Security Rating

G2

- Designed to resist a variety of security attacks, including kick-ins, credit card, picking, and bumping
- $\boldsymbol{\cdot}$  Installation is a snap with posts that guide the screw into the proper location
- · Fits all standard door preps, with lever designs reversible in-field



DEXTER J-Series Levers and Knobs

- · Strongest locks in the opening price point category
- · Dexter designs suite with Schlage's most popular designs
- · Largest knobs and levers in its class
- May be keyed to the Schlage C keyway





Solstice Lever • 619 • Passage, Privacy, Keyed



Stratus Knob • 619, 716 • Passage, Privacy, Keyed



Fits standard door preps

· Easy to install

UL options available

Standard Residential Security Rating

· Dual or triple option latches come standard

Torino Lever • 619 • Passage, Privacy, Keyed



G3



Aged Bronze

\* Additional products available

• Passage, Privacy, Keyed

• 619, 716



# **PUSH-PULL-ROTATE DOOR LOCKS**

## The Only Door Lock That Opens Three Ways!

- The larger decorative rose offers 33% more coverage than standard knobs/levers to hide blemishes on door
- · Durable all-metal construction with cylindrical chassis
- · Flat areas on surface of knobs and levers for comfort when pushing
- Hidden screws for improved appearance
- Now in Schlage keyway · Drive-in latch
- Two finishes: Satin Nickel or Tuscan Bronze
- Meets ANSI Grade 2 Standards

Rhodes c/w Ganyon





Glenshaw

Entry, Privacy, Passage

Alwood Dummy, Privacy, Passage



Barrett Entry. Privacy. Passage (Satin Nickel only)

Almarrion



Harper Dummy, Entry, Privacy, Passage




Ganyon Dummy, Entry, Privacy, Passage



O

Weldon





PUSH it.















# Make Your Grand Entrance.

Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



**Entry Series** 



Artisan Series



Contempra Series

...and more.

## **Calgary** T 1.866.664.7664 • F 1.403.204.7665

Saskatoon

T 1.800.667.6977 • F 1.306.934.7644

## Winnipeg

T 1.855.706.0200 • F 1.204.594.0201

www.madero.ca